

Coir

Short Description

An exceptional, flexible, weather resistant, natural coir entrance matting with PVC backing which is impervious to water and dirt. Suitable for indoor matwells and foyer areas subject to heavy foot traffic.

Product Images





Description

- The time-proven traditional entrance matting material for indoor matwells and foyer areas
- Exceptional moisture and dirt trapping properties with brush-like action on shoe soles
- Mats can be easily trimmed to any size and do not require edge binding
- PVC backing for added stability
- Can be inlaid with logos or messages
- Overall thickness 17mm
- Also available in 20, 23 and 28mm thicknesses

Additional Information

Specifications

| | |
|------------------------|---|
| Soil Resistance | Resistant to soiling and stains Level 3 |
| Water Absorbent | Absorbs water to Level 3 |
| Crush resistant | Crush resistant and regains form |
| Cut to Size | Mats can be cut to bespoke sizes |
| Cut to Length | Mats can be cut to length |

Environment

| | |
|-----------------|----------|
| Dry Zone | Dry Zone |
|-----------------|----------|

Tests

Product Testing

- Number of stitches ISO 1763 = 3.000/m²
- Wearing class EN 1963 - 32
- Comfort EN1307 - LC5
- Flammability Euroclass EN 13501 - Efl
- Slip Resistance EN 13893 - DS
- Static charge ISO 6356 - 3.0kv

Product Options

| | |
|---------|----|
| Length: | 1m |
| Width: | 1m |