



Kumfi Tile Pvc


Short Description

The Kumfi Tile PVC is a very versatile interlocking matting system, with a wide variety of applications. The free flowing 4 way drainage design, and high grip pattern, mean the system is effective in wet, oily and greasy environments. The soft PVC construction provides barefoot comfort when used in a Leisure application, at the same time as providing effective anti fatigue properties for industrial use.

Product Images







Description

- Simple and effective interlocking system ensures a firm, quick joint which can be easily, but not accidentally released.
- Bevelled edge component moulded with corner section which can be simply removed with a sharp knife when not required.
- Can be laid to fit awkward shapes in any colour combination
- High grip surface suitable for indoor and outdoor dry or wet areas.
- Soft PVC construction provides anti- fatigue comfort but withstands most commercial and industrial applications including hospitals, hotels, exhibitions and light workshop use
- Free-draining and resistant to a wide range of oils, grease and chemicals
- Easy to clean simply unclips into small sections
- Overall height 12m

Specifications	
Wear Resistant	Wear resistant surface to Level 2
Anti-Fatigue	Anti-fatigue protection to Level 2
Slip Resistance	Slip resistance Level 2
Chemical Resistant	Chemical resistant
Connectable	Mats are connectable and join together
Dry Area	Suitable for use in dry areas
Grease Area	Suitable for use in greasy areas
Oil Area	Suitable for use in oily and greasy areas
Wet Area	Suitable for use in wet areas
Environment	
environment	
Dry Zone	DryZopo

Dry Zone	Dry Zone
Wet Zone	Wet Zone
Oily/Greasy Zone	Oily/Greasy Zone
Chemical Zone	Chemical Zone

Product Options

Colour:	Black
	Blue
	Green
	Grey
	Natural Beige
	Red
	Yellow
Width:	30cm
Length:	5cm
	30cm